

COVID-19 Pre-Procedure Assessment Form

Patient Label

☐ Surgical	☐ Ambulatory	☐ Obstetrics		□ Pediatric						
24-	72 HOURS PRIO	R TO PR	OCEDUF	RE						
Date/Time:	Able to obtain patie	ent history?	Yes □ No <i>l</i> i	f <u>No</u> , promptly notify physician						
RISK FACTORS FOR COVID-19 EXPOSURE In the last 14 days:										
Has patient been in close contact (COVID-19?	with anyone diagnosed with lal	b confirmed	□ No □ Ye	es When? Date:						
Has patient lived or worked in a se	etting that is part of a COVID-19	outbreak?	□ No □ Ye	es When? Date:						
Has patient been advised to self-is	solate or quarantine at home by	public health?	□ No □ Ye	es Contact info:						
Has patient returned from travel ou Canada that is experiencing a CO		ea within	□ No □ Ye	Return date: Travel location:						
DOES THE PATIENT HAVE NEW ONSET, COVID-19 LIKE SYMPTOMS?										
☐ Cough ☐	☐ Runny nose/nasal congestion☐ Loss of sense of smell☐ Sore throat or painful swallow	□ Na	ss of appetite usea and/or von urrhea	☐ Muscle aches niting ☐ Fatigue ☐ Chills						
If <u>Yes</u> to any Risk Factor or questions, promptly notify the F	<i>y</i> ,	_	Office notified? s □ No	Patient referred for testing? ☐ Yes ☐ No						
Printed Name	Sign	ature		Designation						
DAY OF DECOFFILE										
DAY OF PROCEDURE										
Date/Time:				f <u>No</u> , promptly notify physician						
	ACTORS FOR COVID-									
Has patient been in close contact (COVID-19?	with anyone diagnosed with lai	b confirmed	□ No □ Ye	es When? Date:						
Has patient lived or worked in a se	etting that is part of a COVID-19	outbreak?	□ No □ Ye	es When? Date:						
Has patient been advised to self-is	solate or quarantine at home by	public health?	□ No □ Ye	es Contact info:						
Has patient returned from travel outside of Canada or from an area within \to No \to Yes Return date:										
DOES THE PATIENT HAVE NEW ONSET, COVID-19 LIKE SYMPTOMS?										
☐ Cough ☐	☐ Runny nose/nasal congestion☐ Loss of sense of smell☐ Sore throat or painful swallow	□ Na	ss of appetite usea and/or von arrhea	☐ Muscle aches niting ☐ Fatigue ☐ Chills						
If <u>Yes</u> to any Risk Factor or C questions, promptly notify the		Physician/Office ☐ Yes ☐ No	e notified?	Patient referred for testing? ☐ Yes ☐ No						

		F	PHYSICIA	N SCRE	EEN			
COVID-19 NP test performed?			□Yes		ate: esult: □ Negative □ Positive			
COVID-19 NP test performed on Caregiver/Household member?			□Yes		Date: Result: ☐ Negative ☐ Positive			
If test has not been performed, do you recommend testing patient?			□Yes	□ No I	Reason:			
Unable to perform swab?			☐ Yes	□ No I	Reason:			
Type of anesthesia to be used			☐ General	☐ Local/Re				
Printed Name Sign			nature	Designation				
	FINA	L PRO	CEDURE	TEAM A	ASSESS	SMENT		
COVID-19 risk factor (travel, contact, outbreak)?			☐ Yes	□ No I	□ Unknown			
COVID-19 like symptoms that cannot be explained by another medical or surgical diagnosis?			□Yes	□ No I	□ Unknown			
Are COVID-19 test results available?			□Yes	□ No I	□ Unknown	□ N/A		
If Caregiver/household member tested, are COVID-19 test results available?				□Yes	□ No I	□ Unknown	□ N/A	
	CONF	IRM PAT	TENT RISK C	ATEGOR	Y (Refer to ta	ıble below)		
☐ GREEN ☐ YELLOW ☐ RED								
Pr	Printed Name Sign			nature		Des	Designation	
		PAT	IENT RISK C	ATEGORY	Y TABLE			
COVID-19 Symptoms/ Signs*	COVID-19 Exposures/ Contacts*	Testing Required	COVID -19 Test Results (if applicable)**		Risk Category	Proceed with Scheduled Procedure		
NO	NO	NO	NOT REQUI		GREEN		YES	
NO	NO	NO	NEGATIVE		GREEN	YES		
NO	YES	YES	NEGATIVE NEGATIVE		GREEN	YES		
UNKNOWN YES	NO NO	YES YES	NEGATIVE NEGATIVE		GREEN GREEN	YES YES		
YES	YES	YES	NEGATIVE NEGATIVE		GREEN		YES	
UNKNOWN	UNKNOWN	YES	UNKNOWN/PENDING		YELLOW		YES	
NO	YES	YES	UNKNOWN/PENDING		RED	ONLY IF U	IRGENT, EMERGENT	
YES	NO	YES	UNKNOWN/PENDING		RED		IRGENT, EMERGENT	
YES	YES	YES	UNKNOWN/PENDING		RED		IRGENT, EMERGENT	
-	-		POSITIV		RED		IRGENT, EMERGENT	
_	-		CRGV/HSHLD P	COLTIVE	RED	ONLVIEL	IRGENT, EMERGENT	

^{*}If a caregiver/household member is symptomatic or has risk factors, that household member should be tested as well.
**Interpret the negative test in terms of the clinical context. If there is a confirmed COVID-19 exposure within the household, and a strong clinical suspicion of COVID-19 despite negative testing, treat at RED.