



## South Vancouver Island Beach Sampling Results

Sampling Season for 2021 Complete



No Water Quality Issues Identified



Moderate Water Quality Issues



Swimming Not Recommended



No Results Available

**Notes:**





- Results indicated are the number of *E.coli* (fresh water) or Enterococci (salt water) per 100 mL of sample water
- L1 indicates there were less than 1 *E.coli* or Enterococci present in the sample
- **Updates will be provided once a week to reflect any new sample results received.**
- **Results are most predictive of overall water quality for 2 days after the sample date.**


**Interpretation:**




- **GREEN:** Beaches are generally considered microbiologically safe for swimming when single sample results, and/or the average (geometric mean) for the most recent five samples, are less than 200 (fresh water) or 35 (salt water)
- **YELLOW:** An individual result has exceeded 200 (fresh water) or 35 (salt water), so a higher risk of illness may be present and more sampling needs to be conducted to further inform the situation.
- **RED:** Results from a single sample has exceeded 400 (fresh water) or 70 (salt water), or the average (geometric mean) for the most recent five samples is greater than 200 (fresh water) or 35 (salt water) so there is a significant risk of illness and a beach advisory is generally necessary.
- **GREY:** Results not received for a particular beach during this current bathing season, please contact your local government/municipal office to inquire about testing ability.





Under certain circumstances, an Environmental Health Officer may deviate from the above recommendations for a particular beach. If you would like further information, please contact your local [Health Protection office](#).

Beach	Location	Sample Results
	Victoria – Salt Water	Bacteriological Sample on 26/05/2021 – Enterococci : 10
		Bacteriological Sample on 07/06/2021 – Enterococci : LT5
		Bacteriological Sample on 21/06/2021 – Enterococci : LT5
		Bacteriological Sample on 05/07/2021 – Enterococci : 23
		Bacteriological Sample on 20/07/2021 – Enterococci : 10
		Bacteriological Sample on 03/08/2021 – Enterococci : 5
		Bacteriological Sample on 18/08/2021 – Enterococci : 10
		Bacteriological Sample on 01/09/2021 – Enterococci : 14




BAZAN BAY 	North Saanich – Salt Water	Bacteriological Sample on 01/06/2021 – Enterococci : LT5
		Bacteriological Sample on 13/07/2021 – Enterococci : LT5
		Bacteriological Sample on 23/08/2021 – Enterococci : LT5
BEAVER LAKE 	Saanich – Fresh Water	Bacteriological Sample on 25/05/2021 – E. Coli : 5
		Bacteriological Sample on 01/06/2021 – E. Coli : LT5
		Bacteriological Sample on 08/06/2021 – E. Coli : LT5
		Bacteriological Sample on 16/06/2021 – E. Coli : LT5
		Bacteriological Sample on 22/06/2021 – E. Coli : 45
		Bacteriological Sample on 06/07/2021 – E. Coli : LT5
		Bacteriological Sample on 13/07/2021 – E. Coli : 5
		Bacteriological Sample on 19/07/2021 – E. Coli : 5
		Bacteriological Sample on 27/07/2021 – E. Coli : LT5
		Bacteriological Sample on 03/08/2021 – E. Coli : LT5
		Bacteriological Sample on 09/08/2021 – E. Coli : LT5
		Bacteriological Sample on 17/08/2021 – E. Coli : LT5
		Bacteriological Sample on 23/08/2021 – E. Coli : 10
Bacteriological Sample on 30/08/2021 – E. Coli : 32		
BLACKBURN LAKE 	Salt Spring Island – Salt Water	Bacteriological Sample on 26/05/2021 – E. Coli : LT5
		Bacteriological Sample on 23/06/2021 – E. Coli : LT5
CADBORO BAY BEACH 	Saanich – Salt Water	
	Gyro Park	Bacteriological Sample on 25/05/2021 – Enterococci : 20
		Bacteriological Sample on 31/05/2021 – Enterococci : LT5
		Bacteriological Sample on 07/06/2021 – Enterococci : LT5
		Bacteriological Sample on 14/06/2021 – Enterococci : 5
		Bacteriological Sample on 21/06/2021 – Enterococci : LT5


		Bacteriological Sample on 28/06/2021 – Enterococci : LT5	
		Bacteriological Sample on 05/07/2021 – Enterococci : LT5	
		Bacteriological Sample on 12/07/2021 – Enterococci : LT5	
		Bacteriological Sample on 20/07/2021 – Enterococci : LT5	
		Bacteriological Sample on 26/07/2021 – Enterococci : LT5	
		Bacteriological Sample on 03/08/2021 – Enterococci : LT5	
		Bacteriological Sample on 10/08/2021 – Enterococci : LT5	
		Bacteriological Sample on 18/08/2021 – Enterococci : LT5	
		Bacteriological Sample on 24/08/2021 – Enterococci : LT5	
		Bacteriological Sample on 01/09/2021 – Enterococci : LT5	
	Gyro Park - Left of Outfall	Bacteriological Sample on 25/05/2021 – Enterococci : LT5	
		Bacteriological Sample on 31/05/2021 – Enterococci : 5	
		Bacteriological Sample on 07/06/2021 – Enterococci : LT5	
		Bacteriological Sample on 14/06/2021 – Enterococci : 5	
		Bacteriological Sample on 21/06/2021 – Enterococci : LT5	
		Bacteriological Sample on 28/06/2021 – Enterococci : 140	
		Bacteriological Sample on 05/07/2021 – Enterococci : LT5	
		Bacteriological Sample on 12/07/2021 – Enterococci : LT5	
		Bacteriological Sample on 20/07/2021 – Enterococci : LT5	
Bacteriological Sample on 26/07/2021 – Enterococci : LT5			
CLOVER POINT/COOK STREET 	Victoria – Salt Water	Bacteriological Sample on 07/06/2021 – Enterococci : LT5	
		Bacteriological Sample on 05/07/2021 – Enterococci : 120	
		Bacteriological Sample on 12/07/2021 – Enterococci : 5	

		Bacteriological Sample on 18/08/2021 – Enterococci : 5
COLES BAY 	North Saanich – Salt Water	Bacteriological Sample on 01/06/2021 – Enterococci : LT5
		Bacteriological Sample on 13/07/2021 – Enterococci : 5
		Bacteriological Sample on 23/08/2021 – Enterococci : LT5
CORDOVA BAY BEACH 	Saanich- Salt Water	
	Agate Park	Bacteriological Sample on 25/05/2021 – Enterococci : 10
		Bacteriological Sample on 08/06/2021 – Enterococci : LT5
		Bacteriological Sample on 22/06/2021 – Enterococci : LT5
		Bacteriological Sample on 06/07/2021 – Enterococci : LT5
		Bacteriological Sample on 19/07/2021 – Enterococci : LT5
		Bacteriological Sample on 03/08/2021 – Enterococci : LT5
		Bacteriological Sample on 17/08/2021 – Enterococci : LT5
		Bacteriological Sample on 30/08/2021 – Enterococci : LT5
	Water Park	Bacteriological Sample on 25/05/2021 – Enterococci : LT5
		Bacteriological Sample on 08/06/2021 – Enterococci : LT5
		Bacteriological Sample on 22/06/2021 – Enterococci : LT5
		Bacteriological Sample on 06/07/2021 – Enterococci : LT5
		Bacteriological Sample on 19/07/2021 – Enterococci : LT5
Bacteriological Sample on 03/08/2021 – Enterococci : LT5		
Bacteriological Sample on 17/08/2021 – Enterococci : LT5		
Bacteriological Sample on 30/08/2021 – Enterococci : LT5		
CRAIGFLOWER KOSAPSOM 	Saanich – Salt Water	Bacteriological Sample on 26/05/2021 – Enterococci : 10
		Bacteriological Sample on 08/06/2021 – Enterococci : LT5
		Bacteriological Sample on 23/06/2021 – Enterococci : 15
		Bacteriological Sample on 07/07/2021 – Enterococci : 25
		Bacteriological Sample on 20/07/2021 – Enterococci : LT5





		Bacteriological Sample on 05/08/2021 – Enterococci : LT5
		Bacteriological Sample on 16/08/2021 – Enterococci: 25
		Bacteriological Sample on 01/09/2021 – Enterococci : 14
CUSHEON LAKE 	Salt Spring Island – Fresh Water	Bacteriological Sample on 26/05/2021 – E. Coli : 15
		Bacteriological Sample on 23/06/2021 – E. Coli : 15
DURRANCE LAKE 	Saanich – Fresh Water	Bacteriological Sample on 31/05/2021 – E. Coli : LT5
		Bacteriological Sample on 16/06/2021 – E. Coli : LT5
		Bacteriological Sample on 12/07/2021 – E. Coli : LT5
		Bacteriological Sample on 27/07/2021 – E. Coli : 5
		Bacteriological Sample on 09/08/2021 – E. Coli : 5
		Bacteriological Sample on 24/08/2021 – E. Coli : 5
EAGLES LAKE 	Highlands – Fresh Water	Bacteriological Sample on 23/06/2021 – E. Coli : 5
		Bacteriological Sample on 14/07/2021 – E. Coli : LT5
		Bacteriological Sample on 23/08/2021 – E. Coli : LT5
ELK LAKE - Hamsterley Beach 	Saanich – Fresh Water	
	Eagles Beach	Bacteriological Sample on 25/05/2021 – E. Coli : LT5
		Bacteriological Sample on 08/06/2021 – E. Coli : LT5
		Bacteriological Sample on 22/06/2021 – E. Coli : 159
		Bacteriological Sample on 06/07/2021 – E. Coli : 5
		Bacteriological Sample on 19/07/2021 – E. Coli : 5
		Bacteriological Sample on 03/08/2021 – E. Coli : LT5
		Bacteriological Sample on 17/08/2021 – E. Coli : 5
		Bacteriological Sample on 30/08/2021 – E. Coli : 77


	Hamsterley Beach East	Bacteriological Sample on 25/05/2021 – E. Coli : 5
		Bacteriological Sample on 01/06/2021 – E. Coli : LT5
		Bacteriological Sample on 08/06/2021 – E. Coli : 5
		Bacteriological Sample on 16/06/2021 – E. Coli : LT5
		Bacteriological Sample on 22/06/2021 – E. Coli : 5
		Bacteriological Sample on 06/07/2021 – E. Coli : 10
		Bacteriological Sample on 13/07/2021 – E. Coli : 36
		Bacteriological Sample on 19/07/2021 – E. Coli : LT5
		Bacteriological Sample on 27/07/2021 – E. Coli : LT5
		Bacteriological Sample on 03/08/2021 – E. Coli : 5
		Bacteriological Sample on 09/08/2021 – E. Coli : 10
		Bacteriological Sample on 17/08/2021 – E. Coli : 10
		Bacteriological Sample on 23/08/2021 – E. Coli : LT5
	Bacteriological Sample on 30/08/2021 – E. Coli : 15	
	Hamsterley Beach West	Bacteriological Sample on 25/05/2021 – E. Coli : LT5
		Bacteriological Sample on 01/06/2021 – E. Coli : LT5
		Bacteriological Sample on 08/06/2021 – E. Coli : LT5
		Bacteriological Sample on 16/06/2021 – E. Coli : LT5
		Bacteriological Sample on 22/06/2021 – E. Coli : LT5
		Bacteriological Sample on 06/07/2021 – E. Coli : 23
		Bacteriological Sample on 13/07/2021 – E. Coli : LT5
		Bacteriological Sample on 19/07/2021 – E. Coli : LT5
		Bacteriological Sample on 27/07/2021 – E. Coli : 50
Bacteriological Sample on 03/08/2021 – E. Coli : 9		
Bacteriological Sample on 09/08/2021 – E. Coli : 5		
Bacteriological Sample on 17/08/2021 – E. Coli : LT5		
Bacteriological Sample on 23/08/2021 – E. Coli : LT5		
Bacteriological Sample on 30/08/2021 – E. Coli : 130		
ESQUIMALT GORGE PARK – Kinsmen Beach	Esquimalt – Salt Water	Bacteriological Sample on 25/05/2021 – Enterococci : 1200
		Bacteriological Sample on 01/06/2021 – Enterococci : 25





		Bacteriological Sample on 07/06/2021 – Enterococci : 20
		Bacteriological Sample on 21/06/2021 – Enterococci : LT5
		Bacteriological Sample on 05/07/2021 – Enterococci : 20
		Bacteriological Sample on 20/07/2021 – Enterococci : LT5
		Bacteriological Sample on 05/08/2021 – Enterococci : 18
		Bacteriological Sample on 18/08/2021 – Enterococci : 10
		Bacteriological Sample on 01/09/2021 – Enterococci : 5
ESQUIMALT LAGOON 	Colwood – Salt Water	Bacteriological Sample on 26/05/2021 – Enterococci : 5
		Bacteriological Sample on 09/06/2021 – Enterococci : LT5
		Bacteriological Sample on 23/06/2021 – Enterococci : LT5
		Bacteriological Sample on 07/07/2021 – Enterococci : LT5
		Bacteriological Sample on 20/07/2021 – Enterococci : LT5
		Bacteriological Sample on 16/08/2021 – Enterococci : 10
		Bacteriological Sample on 01/09/2021 – Enterococci : 5
FLEMING BEACH 	Esquimalt – Salt Water	Bacteriological Sample on 25/05/2021 – Enterococci : 70
		Bacteriological Sample on 07/06/2021 – Enterococci : 5
		Bacteriological Sample on 21/06/2021 – Enterococci : LT5
		Bacteriological Sample on 05/07/2021 – Enterococci : 5
		Bacteriological Sample on 20/07/2021 – Enterococci : 18
		Bacteriological Sample on 03/08/2021 – Enterococci : 40
		Bacteriological Sample on 10/08/2021 – Enterococci : 32
		Bacteriological Sample on 18/08/2021 – Enterococci : LT5
		Bacteriological Sample on 01/09/2021 – Enterococci : LT5
FLORENCE LAKE 	Langford – Fresh Water	Bacteriological Sample on 26/05/2021 – E. Coli : LT5
		Bacteriological Sample on 09/06/2021 – E. Coli : LT5
		Bacteriological Sample on 23/06/2021 – E. Coli : 5
		Bacteriological Sample on 07/07/2021 – E. Coli : 5
		Bacteriological Sample on 21/07/2021 – E. Coli : LT5




		Bacteriological Sample on 04/08/2021 – E. Coli : 5	
		Bacteriological Sample on 16/08/2021 – E. Coli : 9	
		Bacteriological Sample on 31/08/2021 – E. Coli : LT5	
<p>GLEN LAKE</p> 	Langford – Fresh Water		
	Glen Lake – Glen View (Park)	Bacteriological Sample on 26/05/2021 – E. Coli : 20	
		Bacteriological Sample on 02/06/2021 – E. Coli : 41	
		Bacteriological Sample on 09/06/2021 – E. Coli : 15	
		Bacteriological Sample on 15/06/2021 – E. Coli : 265	
		Bacteriological Sample on 23/06/2021 – E. Coli : 60	
		Bacteriological Sample on 07/07/2021 – E. Coli : 230	
		Bacteriological Sample on 14/07/2021 – E. Coli : 75	
		Bacteriological Sample on 21/07/2021 – E. Coli : 450	
		Bacteriological Sample on 28/07/2021 – E. Coli : LT5	
		Bacteriological Sample on 04/08/2021 – E. Coli : 568	
		Bacteriological Sample on 11/08/2021 – E. Coli : 4750	
		Bacteriological Sample on 16/08/2021 – E. Coli : 210	
		Bacteriological Sample on 25/08/2021 – E. Coli : 1150	
	Bacteriological Sample on 31/08/2021 – E. Coli : 9		
	Glen Lake - South	Bacteriological Sample on 02/06/2021 – E. Coli : 60	
		Bacteriological Sample on 09/06/2021 – E. Coli : LT5	
		Bacteriological Sample on 15/06/2021 – E. Coli : 15	
		Bacteriological Sample on 23/06/2021 – E. Coli : 5	
Bacteriological Sample on 07/07/2021 – E. Coli : 5			
Bacteriological Sample on 14/07/2021 – E. Coli : 75			
Bacteriological Sample on 21/07/2021 – E. Coli : LT5			
Bacteriological Sample on 28/07/2021 – E. Coli : 164			
Bacteriological Sample on 04/08/2021 – E. Coli : 10			
Bacteriological Sample on 11/08/2021 – E. Coli : 5			











		Bacteriological Sample on 16/08/2021 – E. Coli : 15
		Bacteriological Sample on 25/08/2021 – E. Coli : 5
		Bacteriological Sample on 31/08/2021 – E. Coli : 10
GONZALES BAY 	Victoria – Salt Water	Bacteriological Sample on 31/05/2021 – Enterococci : 10
		Bacteriological Sample on 14/06/2021 – Enterococci : 82
		Bacteriological Sample on 28/06/2021 – Enterococci : LT5
		Bacteriological Sample on 12/07/2021 – Enterococci : LT5
		Bacteriological Sample on 26/07/2021 – Enterococci : 5
		Bacteriological Sample on 10/08/2021 – Enterococci : 5
		Bacteriological Sample on 24/08/2021 – Enterococci : LT5
HOLLAND POINT 	Victoria – Salt Water	Bacteriological Sample on 31/05/2021 – Enterococci : LT5
		Bacteriological Sample on 14/06/2021 – Enterococci : 5
		Bacteriological Sample on 28/06/2021 – Enterococci : LT5
		Bacteriological Sample on 12/07/2021 – Enterococci : 5
		Bacteriological Sample on 26/07/2021 – Enterococci : LT5
		Bacteriological Sample on 10/08/2021 – Enterococci : LT5
		Bacteriological Sample on 24/08/2021 – Enterococci : LT5
ISLAND VIEW BEACH 	Central Saanich – Salt Water	Bacteriological Sample on 01/06/2021 – Enterococci : LT5
		Bacteriological Sample on 22/06/2021 – Enterococci : LT5
		Bacteriological Sample on 13/07/2021 – Enterococci : LT5
		Bacteriological Sample on 17/08/2021 – Enterococci : LT5
		Bacteriological Sample on 23/08/2021 – Enterococci : LT5
KEMP LAKE 	Sooke – Fresh Water	Bacteriological Sample on 02/06/2021 – E. Coli : 5
		Bacteriological Sample on 21/07/2021 – E. Coli : LT5
		Bacteriological Sample on 25/08/2021 – E. Coli : LT5




LANGFORD LAKE		
	Langford – Fresh Water	
	Langford Lake – Goldstream	Bacteriological Sample on 26/05/2021 – E. Coli : 5
		Bacteriological Sample on 02/06/2021 – E. Coli : 5
		Bacteriological Sample on 09/06/2021 – E. Coli : LT5
		Bacteriological Sample on 15/06/2021 – E. Coli : LT5
		Bacteriological Sample on 23/06/2021 – E. Coli : 5
		Bacteriological Sample on 07/07/2021 – E. Coli : LT5
		Bacteriological Sample on 14/07/2021 – E. Coli : LT5
		Bacteriological Sample on 21/07/2021 – E. Coli : 5
		Bacteriological Sample on 28/07/2021 – E. Coli : LT5
		Bacteriological Sample on 04/08/2021 – E. Coli : LT5
		Bacteriological Sample on 11/08/2021 – E. Coli : 20
		Bacteriological Sample on 16/08/2021 – E. Coli : 15
		Bacteriological Sample on 25/08/2021 – E. Coli : 5
		Bacteriological Sample on 31/08/2021 – E. Coli : LT5
Langford Lake – Leigh Road (Playground area)	Bacteriological Sample on 02/06/2021 – E. Coli : LT5	
	Bacteriological Sample on 15/06/2021 – E. Coli : LT5	
	Bacteriological Sample on 14/07/2021 – E. Coli : LT5	
	Bacteriological Sample on 28/07/2021 – E. Coli : LT5	
	Bacteriological Sample on 11/08/2021 – E. Coli : LT5	
	Bacteriological Sample on 25/08/2021 – E. Coli : 5	
Langford Lake – Ed Nixon Lane/Tce	Bacteriological Sample on 26/05/2021 – E. Coli : 9	
	Bacteriological Sample on 02/06/2021 – E. Coli : LT5	
	Bacteriological Sample on 09/06/2021 – E. Coli : 15	
	Bacteriological Sample on 15/06/2021 – E. Coli : LT5	
	Bacteriological Sample on 23/06/2021 – E. Coli : 5	
	Bacteriological Sample on 07/07/2021 – E. Coli : 5	

		Bacteriological Sample on 14/07/2021 – E. Coli : 5
		Bacteriological Sample on 21/07/2021 – E. Coli : LT5
		Bacteriological Sample on 28/07/2021 – E. Coli : 10
		Bacteriological Sample on 04/08/2021 – E. Coli : LT5
		Bacteriological Sample on 11/08/2021 – E. Coli : 25
		Bacteriological Sample on 16/08/2021 – E. Coli : LT5
		Bacteriological Sample on 25/08/2021 – E. Coli : 18
		Bacteriological Sample on 31/08/2021 – E. Coli : 15
LOOK OUT LAKE 	Colwood – Fresh Water	Bacteriological Sample on 09/06/2021 – E. Coli : 5
		Bacteriological Sample on 07/07/2021 – E. Coli : 10
		Bacteriological Sample on 28/07/2021 – E. Coli : LT5
		Bacteriological Sample on 11/08/2021 – E. Coli : LT5
		Bacteriological Sample on 31/08/2021 – E. Coli : 15
MCNEILL BAY 	Oak Bay – Salt Water	Bacteriological Sample on 07/06/2021 – Enterococci : LT5
		Bacteriological Sample on 28/06/2021 – Enterococci : LT5
		Bacteriological Sample on 12/07/2021 – Enterococci : LT5
		Bacteriological Sample on 10/08/2021 – Enterococci : LT5
		Bacteriological Sample on 01/09/2021 – Enterococci : LT5
MOUNT DOUGLAS PARK 	Saanich – Salt Water	Bacteriological Sample on 31/05/2021 – Enterococci : 5
		Bacteriological Sample on 21/06/2021 – Enterococci : LT5
		Bacteriological Sample on 19/07/2021 – Enterococci : LT5
		Bacteriological Sample on 17/08/2021 – Enterococci : 10
		Bacteriological Sample on 30/08/2021 – Enterococci : LT5
PATRICIA BAY 	North Saanich – Salt Water	Bacteriological Sample on 01/06/2021 – Enterococci : LT5
		Bacteriological Sample on 13/07/2021 – Enterococci : 68
		Bacteriological Sample on 27/07/2021 – Enterococci : 5

		Bacteriological Sample on 23/08/2021 – Enterococci : 40
		Bacteriological Sample on 30/08/2021 – Enterococci : LT5
PROSPECT LAKE 	Saanich – Fresh Water	Bacteriological Sample on 31/05/2021 – E. Coli : LT5
		Bacteriological Sample on 16/06/2021 – E. Coli : 70
		Bacteriological Sample on 12/07/2021 – E. Coli : 5
		Bacteriological Sample on 27/07/2021 – E. Coli : 45
		Bacteriological Sample on 09/08/2021 – E. Coli : 9
		Bacteriological Sample on 24/08/2021 – E. Coli : 20
ROSS BAY 	Victoria – Salt Water	Bacteriological Sample on 14/06/2021 – Enterococci : 30
		Bacteriological Sample on 05/07/2021 – Enterococci : 20
		Bacteriological Sample on 26/07/2021 – Enterococci : 1200
		Bacteriological Sample on 03/08/2021 – Enterococci : 9
		Bacteriological Sample on 18/08/2021 – Enterococci : LT5
SAANICH INLET 	Central Saanich – Salt Water	
	Clarke Road	Bacteriological Sample on 29/06/2021 – Enterococci : 1350
		Bacteriological Sample on 06/07/2021 – Enterococci : 20
		Bacteriological Sample on 13/07/2021 – Enterococci : 800
		Bacteriological Sample on 19/07/2021 – Enterococci : LT5
		Bacteriological Sample on 27/07/2021 – Enterococci : LT5
		Bacteriological Sample on 09/08/2021 – Enterococci : 5
		Bacteriological Sample on 30/08/2021 – Enterococci : 9
	Stelly's X-Rd	Bacteriological Sample on 29/06/2021 – Enterococci : 490
		Bacteriological Sample on 06/07/2021 – Enterococci : 45
		Bacteriological Sample on 19/07/2021 – Enterococci : 5
		Bacteriological Sample on 09/08/2021 – Enterococci : 14
Bacteriological Sample on 30/08/2021 – Enterococci : 10		

	Todd Inlet	Bacteriological Sample on 22/06/2021 – Enterococci : LT5
		Bacteriological Sample on 13/07/2021 – Enterococci : 10
		Bacteriological Sample on 23/08/2021 – Enterococci : 41
SAXE POINT BEACH 	Esquimalt– Salt Water	Bacteriological Sample on 07/06/2021 – Enterococci : LT5
		Bacteriological Sample on 05/07/2021 – Enterococci : 18
		Bacteriological Sample on 26/07/2021 – Enterococci : 10
		Bacteriological Sample on 18/08/2021 – Enterococci : 5
SAYWARD BEACH 	Saanich – Salt Water	Bacteriological Sample on 08/06/2021 – Enterococci : LT5
		Bacteriological Sample on 06/07/2021 – Enterococci : LT5
		Bacteriological Sample on 27/07/2021 – Enterococci : 10
		Bacteriological Sample on 17/08/2021 – Enterococci : 5
SOOKE POT HOLES 	Sooke – Fresh Water	
	Sooke Pot Holes	Bacteriological Sample on 02/06/2021 – E. Coli : LT5
		Bacteriological Sample on 21/07/2021 – E. Coli : LT5
		Bacteriological Sample on 25/08/2021 – E. Coli : LT5
	Potholes, Lot 1	Bacteriological Sample on 21/07/2021 – E. Coli : 9
		Bacteriological Sample on 25/08/2021 – E. Coli : LT5
	Sunriver Nature Trail	Bacteriological Sample on 21/07/2021 – E. Coli : 73
		Bacteriological Sample on 25/08/2021 – E. Coli : 50
ST. MARY LAKE 	Salt Spring Island – Fresh Water	Bacteriological Sample on 26/05/2021 – E. Coli : LT5
		Bacteriological Sample on 23/06/2021 – E. Coli : 5

STOWEL LAKE 	Salt Spring Island – Fresh Water	Bacteriological Sample on 26/05/2021 – E. Coli : 27
		Bacteriological Sample on 23/06/2021 – E. Coli : 15
TATLOW BEACH ACCESS 	North Saanich- Salt Water	Bacteriological Sample on 01/06/2021 – Enterococci : LT5
		Bacteriological Sample on 13/07/2021 – Enterococci : 45
		Bacteriological Sample on 27/07/2021 – Enterococci : 10
		Bacteriological Sample on 23/08/2021 – Enterococci : 10
THETIS LAKE 	View Royal – Fresh Water	Bacteriological Sample on 26/05/2021 – E. Coli : 15
		Bacteriological Sample on 02/06/2021 – E. Coli : 15
		Bacteriological Sample on 09/06/2021 – E. Coli : LT5
		Bacteriological Sample on 15/06/2021 – E. Coli : 5
		Bacteriological Sample on 23/06/2021 – E. Coli : LT5
		Bacteriological Sample on 07/07/2021 – E. Coli : LT5
		Bacteriological Sample on 14/07/2021 – E. Coli : 5
		Bacteriological Sample on 20/07/2021 – E. Coli : 5
		Bacteriological Sample on 28/07/2021 – E. Coli : 75
		Bacteriological Sample on 04/08/2021 – E. Coli : 5
		Bacteriological Sample on 11/08/2021 – E. Coli : 50
		Bacteriological Sample on 16/08/2021 – E. Coli : LT5
		Bacteriological Sample on 25/08/2021 – E. Coli : LT5
Bacteriological Sample on 31/08/2021 – E. Coli : LT5		
WEIR'S BEACH – Sandgate 	Metchosin – Salt Water	Bacteriological Sample on 15/06/2021 – Enterococci : LT5
		Bacteriological Sample on 14/07/2021 – Enterococci : LT5
		Bacteriological Sample on 11/08/2021 – Enterococci : LT5
		Bacteriological Sample on 31/08/2021 – Enterococci : LT5

WESTON LAKE 	Salt Spring Island – Salt Water	Bacteriological Sample on 26/05/2021 – E. Coli : 5
		Bacteriological Sample on 23/06/2021 – E. Coli : LT5
WILLOWS BEACH 	Oak Bay – Salt Water	
	Foot of Estevan	Bacteriological Sample on 31/05/2021 – Enterococci : LT5
		Bacteriological Sample on 14/06/2021 – Enterococci : LT5
		Bacteriological Sample on 28/06/2021 – Enterococci : LT5
		Bacteriological Sample on 12/07/2021 – Enterococci : LT5
		Bacteriological Sample on 26/07/2021 – Enterococci : LT5
		Bacteriological Sample on 10/08/2021 – Enterococci : LT5
		Bacteriological Sample on 24/08/2021 – Enterococci : LT5
	South End	Bacteriological Sample on 31/05/2021 – Enterococci : LT5
		Bacteriological Sample on 14/06/2021 – Enterococci : LT5
		Bacteriological Sample on 28/06/2021 – Enterococci : LT5
		Bacteriological Sample on 14/07/2021 – Enterococci : LT5
		Bacteriological Sample on 26/07/2021 – Enterococci : LT5
Bacteriological Sample on 10/08/2021 – Enterococci : LT5		
Bacteriological Sample on 24/08/2021 – Enterococci : LT5		
WITTY'S LAGOON 	Metchosin – Salt Water	Bacteriological Sample on 15/06/2021 – Enterococci : 5
		Bacteriological Sample on 14/07/2021 – Enterococci : LT5
		Bacteriological Sample on 11/08/2021 – Enterococci : LT5
		Bacteriological Sample on 31/08/2021 – Enterococci : LT5